

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.				
1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE: 23 July 2003		3. REPORT TYPE AND DATES COVERED Final 1 April 2001 to 31 December 2002
4. TITLE AND SUBTITLE Optimization Methods for Analyte Recognition from Optical Sensor Arrays			5. FUNDING NUMBERS DAAD19-01-1-0464	
6. AUTHOR(S) Edward J. Wegman				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) George Mason University, MS 4A7 4400 University Drive Fairfax, VA 22030-4444			8. PERFORMING ORGANIZATION REPORT NUMBER Final 2002-30	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER P-42411-MA 4	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12 a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This project focused on the analysis of an artificial olfactory system. Light at single wavelengths is piped down a doped fiber optic causing the dyes to fluoresce. As chemicals are drawn across the doped fiber optics, they adhere temporarily to the dye and change the color of the fluorescing dye. The response is transient as the chemicals dissipate. This creates a 19-dimensional time series for each chemical species. The time series is characteristic of the stimulating chemical species. The military application of such a system extends to detecting land mines and also detecting leaking hydrocarbons from damaged military systems such as tanks and helicopters. We have demonstrated that graphical methods allow for substantial discriminating capability. Current work involves development of what we have called a d-tour, an optimization technique for finding maximal discrimination capability among a number of chemical species. The idea is to create a distance metric based on L_p -spaces with smoothers and weight functions. The d-tour is constructed in the same way as a grand tour, but in addition to touring on the data, we tour on the parameters of the smoother, of the weight function and on p , the exponent of the L_p -space.				
14. SUBJECT TERMS artificial nose, distance tour, discriminant analysis, chem.-bio warfare			15. NUMBER OF PAGES 4	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev.2-89)
Prescribed by ANSI Std. Z39-18
298-102

20030806 021

SF 298 Continuation Sheet
FINAL REPORT
ARO PN 42411 MA
CONTRACT NO. DAAD19-01-1-0464
Period of Performance: 1 April 2001 to 31 December 2002
Title: Optimization Methods for Analyte Recognition from Optical Sensor Arrays
PI: Edward J. Wegman, George Mason University

Papers Published Under ARO Sponsorship

Wegman, E. J. and Solka, J. L. (2002) "On some mathematics for visualizing high dimensional data," *Sanhkye (A)*, 64(2), 429-452

Wegman, E. J. (2002) "Visual data mining," *Statistics in Medicine*, 22, 1383-1397.

Special Issues or Books

NAS-NRC Committee on Theater Missile Defense, (2001) *Naval Forces' Capability for Theater Missile Defense*, (Wegman was a member of NAS-NRC authoring committee), Washington, DC: National Academy Press, 2001

Manuscripts Submitted but not yet Published

Wegman, E. J. and Dorfman, A. (2002) "Visualizing cereal world," to appear *Computational Statistics and Data Analysis*

Moustafa, R. E. A. and Wegman, E. J. (2002) "On some generalizations of parallel coordinate plots," to appear *Computational Statistics*

Wegman, E. J. (2002) "On some statistical methods for parallel computation," to appear *Handbook of Parallel Computing and Statistics*

Khumbah, Nkem-Amin and Wegman, E. J. (2002) "Data compression by geometric quantization," to appear *Recent Advances and Trends in Nonparametric Statistics*

Papers Published in Peer Review Journals

Wegman, E. J. and Luo, Q. (2002) "On some computer graphics methods for visualizing densities," *Journal of Computational and Graphical Statistics*, 11(1), 137-162

Wegman, E. J. and Symanzik, J. (2002) "Immersive projection technology for visual data mining," *Journal of Computational and Graphical Statistics*, 11(1), 163-188

Papers Published in Non-Peer Reviewed Journals or Conference Proceedings

Wegman, E. J. and Symanzik, J. (2001) "Data visualization and exploration via virtual reality: An overview," *Bulletin of the International Statistical Institute*, LIX(2), 76-79

Dorfman, A. H., Lent, J., Leaver, S. G. and Wegman, E. J. (2001) "On sample survey designs for consumer price indexes," *Bulletin of the International Statistical Institute*, LIX(2), 421-424, 2001

Papers Presented at Meetings but not Published in Conference Proceedings


- Wegman, E. J. (2001) "Data Reduction by Quantization," Nonparametrics in Large, Multidimensional Data Mining Conference, Dallas, TX, January, 2001
- Wegman, E. J. (2001) "Visual Data Mining," 8th Biennial CDC/ATSDR Statistics Symposium, Atlanta, GA, January, 2001
- Wegman, E. J. (2001), Short Course on Statistical Data Mining, ENAR Meeting, Charlotte, NC, March, 2001
- Wegman, E. J. (2001) Five Lectures on Geometry, Visualization and Data Mining, University of Aalborg, Denmark, May, 2001
- Wegman, E. J. (2001) "Visual Data Mining," Keynote Talk, Danish Society of Theoretical Statistics, Aalborg, Denmark, May, 2001
- Wegman, E. J. (2001) "Visualizing Cereal World," DataViz II Workshop, Fairfax, VA, May, 2001
- Wegman, E. J. (2001) Short Course on Statistical Data Mining, Interface '01, Orange County, CA, June 2001
- Wegman, E. J. (2001) "Data Reduction by Quantization," Joint Statistical Meetings, Atlanta, GA, August, 2001
- Wegman, E. J. (2001) "Pixel Tours," IMA Workshop on Geophysics and Statistics, Minneapolis, MN, November, 2001
- Wegman, E. J. (2001) "Pixel Tours," American Geophysical Union Meeting, San Francisco, CA, December, 2001

Scientific Personnel Supported and Awards

Neal Glassman, Ph.D.
Eun Young Noh, Graduate Student

Scientific Progress and Accomplishments:

Fiber Optic Artificial Olfactory System (*Nature*, 382:697-700(1996))



This project focuses on the analysis of an artificial olfactory system constructed as follows. See diagram to the left. Nineteen fiber optic stands are doped with 19 distinct fluorescent dyes. Light at single wavelengths is piped down the fiber optic causing the dyes to fluoresce. As chemicals (mainly hydrocarbons) are drawn across the doped fiber optics, they adhere temporarily to the dye and change the color (frequency) of the fluorescing dye. The response is transient as the chemicals dissipate. This creates a 19-dimensional time series for each stimulating wavelength and for each chemical species. The time series is characteristic of the stimulating chemical species. A major goal was to detect

trichloroethylene, TCE, a carcinogenic agent in low concentrations and potentially in the presence of more harmless carcinogens. The military application of such a system extends to detecting decomposition products of TNT (for detection of land mines) and also detecting leaking hydrocarbons from damaged military systems such as tanks, helicopters, and other vehicles.




Figure 1: Parallel coordinate display of the 19 fibers after a grand tour. In this image, two chemicals, TCE and Coleman fuel, are represented respectively by red and cyan. The goal is to find variables, which are capable of discriminating between the two. In this examples x19, x18, x15, x9, x3, x2, and x1 provide substantial discrimination capability.

In our current work on this project, we have demonstrated that graphical methods allow for substantial discriminating capability. In the example illustrated here, we have found a 7-dimensional hyperplane, which appears to discriminate between the two chemicals, represented here. Current work involves development of what we have called a d-tour (or distance tour), which is an optimization technique for finding maximal discrimination capability among a number of chemical species. The basic idea is to create a distance metric based on L_p -spaces with smoothers and weight functions. The d-tour is constructed in the same way as a grand tour, but in addition to touring on the data, we tour on the parameters of the smoother, of the weight function and on p , the exponent of the L_p -space.

Note that this project was originally funded using AFOSR funds to support the research of Dr. Neal Glassman, whose expertise is in optimization. Dr. Glassman subsequently had accepted an appointment as IPA for a tour of duty for AFOSR in London so that his expertise in optimization was lost. The work described above attacked the same problem, but from a graphical perspective. The work was specifically highlighted in the paper entitled "Visual data mining."